

ACH-PR NICU Premature Infant Care Plan (26-29 6/7 weeks GA)



	Delivery	DOL 1 / / D N	DOL 2 / / D N	DOL 3 / / D N	DOL 4 / / D N	DOL 5 / / D N	DOL 6 / / D N	DOL 7 / / D N
Respiratory	Prepare RAM cannula and apply within minutes of delivery.	<input type="checkbox"/> Surfactant up three dose 12hrs apart (see Curosurf* guideline) <input type="checkbox"/> Neopuff at bedside <input type="checkbox"/> Wean NCIMV	<input type="checkbox"/> Neopuff at bedside	<input type="checkbox"/> Neopuff at bedside	<input type="checkbox"/> Neopuff at bedside	<input type="checkbox"/> Neopuff at bedside	<input type="checkbox"/> Neopuff at bedside	<input type="checkbox"/> Neopuff at bedside
O2/ROP	<input type="checkbox"/> Start FIO2 at 30% <input type="checkbox"/> Titrate FIO2 to maintain sats per NRP guidelines	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor	<input type="checkbox"/> Titrate FIO2 to maintain O2 sats 90-95% <input type="checkbox"/> Check profile on monitor
Neuro	Midline positioning either side lying or supine	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling	<input type="checkbox"/> HOB elevated 15° <input type="checkbox"/> Minimal/gentle handling
CV	BP x's 4 extremities	<div style="display: flex; justify-content: space-between; align-items: center;"> Hypotension Guideline PDA Management </div>						
Nutrition	Obtain donor milk consent	<div style="display: flex; justify-content: space-between; align-items: center;"> Nutrition Flowsheet/Guidelines Feeding Intolerance Flowsheet </div>						
Infection & Lines	Presumed Sepsis	<input type="checkbox"/> Antibiotics <input type="checkbox"/> Place PIV <input type="checkbox"/> Consider placing PICC or UAC/UVC						